



SUBMERSIBLE PUMP



TOGETHER WE CAN DO IT
TOGETHER WE HAVE ALWAYS DONE IT













MISSION

Company has well developed extensive manufacturing set up to meet any market demand in volume and quality thanks to its technologically advanced facilities.

VISION

Satisfied customer is our highest achievement which "Keeps us constantly striving to serve our customers with integrity and quality." Focusing on this goal with vigorous team efforts, we promise to serve them to deliver only the best.



QUALITY

In order to maintain the highest quality and performance of our pump sets the company has facility of ultra-modern testing and inspection instruments for continuos monitoring manufacturing process. We have electronic flow-meter in the computerized testing laboratory which provides unique facility of testing multiple pumps simultaneously for head versus discharge and overall efficiency at various position minimizing the time and human error thus making the performance report more authentic and reliable.

CUSTOMER FOCUS

At Unnati, customer is focus of attention for all activities at all level and every care is taken to see him delighted. His enquiry prior to sales is promptly responded for techno-commercial details and after sales-services to develop his confidence in our product and services. Utmost care is taken to define customer requirements or complaints by providing prompt and proper corrective actions thereby keeping him satisfied. Suggestions and complaints are also invited from the customers periodically to find out whether they are satisfied with the performance of product, timely supplies, packing & dispatch, behavior and attitude and whether they are really satisfied with the corrective actions taken.



An IS/ISO 9001:2015

Company Unnati Pumps Pvt. Ltd. has privilege to be one of the pioneer manufacturing units of India manufacturing Submersible Pump sets to obtain International Quality System Certification ISO 9001 way back on 15th August 1995.

Our Presence in GOVERNMENT OF INDIA

- Gujarat Water Supply & Sewerage Board (GWSSB)
- Department of Agriculture Gujarat (I-Khedut)
- Department of Agriculture West Bangal
- Department of Agriculture Bihar
- Maharastra Jeevan Pradhikaran (MJP)
- Andhra Pradesh State Irrigation Development Corporation Limited (APSIDC)
- Public Works Deparment PWD Rajasthan
- PHED Rajasthan



Together we can do it
Together we have always done it



V5/V4 WATER LUBRICATED PUMPSET

PRODUCT FEATURE

- Unnati V5-V4 Water Lubricated Submersible Motor are robust Rewindable and prefilled with clean water mixed with anti- corrosion fluid.
- Stator shell with corrosion resistant Stainless Steel.
- Bearing: Water lubricated radial and thrust bearing.
- Shaft extension made of Stainless Steel AISI 420.
- High efficiency electrical design for Lower Operating Cost.
- · Pressure compensation diaphragm.

PRODUCT APPLICATION

"Unnati" prime mover Submersible Motors are suitable to couple with deep well Submersible Pump used for:

- Residential Purpose • Oil & Gas Industries
- Fountains
- Drip & Sprinkler Systems

Mining Industries

Industrial water supply

- Irrigation
- Gardens & Horticulture

PERFORMANCE RANGE

- Pressure Boosting Units
 - De-Watering
 - Fire Fighting

Power Range : 4.0 Hp to 10.0Hp(3.0kW to7.5kW)

Phase : Three Phase Stage : 35 to 90 Stage : 30 to 400 Meter Max. Head Discharge Range (LPM) : 24 - 222 LPM

V6/V7 & V6/V8 WATER LUBRICATED PUMPSET

PRODUCT FEATURE

- Unnati UL6/7 & UL6/8 Water Lubricated Submersible Motor are robust Rewindable and pre-filled with clean water mixed with anti- corrosion fluid.
- Stator shell with corrosion resistant Stainless Steel.
- Bearing: Water lubricated radial and thrust bearing.
- Shaft extension made of Stainless Steel AISI 420.
- High efficiency electrical design for Lower Operating Cost.
- Pressure compensation diaphragm.

PRODUCT APPLICATION

"Unnati" prime mover Submersible Motors are suitable to couple with deep well Submersible Pump used for:

- Residential Purpose
- Fountains
- Oil & Gas Industries

· Gardens & Horticulture

- Irrigation
- Drip & Sprinkler Systems
 - Industrial water supply Mining Industries
- Pressure Boosting Units
- De-Watering
- Fire Fighting

PERFORMANCE RANGE

: 5.0Hp to 25.0Hp Power Range

: 3.70kW to 18.5kW

Stage : 1 to 7 Max. Head : 5 to 100 Meter Discharge Range (LPM) : 150 -1800 LPM ≣0 ≣



V6 PREMIUM WATER LUBRICATED PUMPSET

PRODUCT FEATURE

- Unnati UL6 Water Lubricated Submersible Motor are robust Rewindable and pre-filled with clean water mixed with anti- corrosion fluid.
- Stator shell with corrosion resistant Stainless Steel.
- Bearing: Water lubricated radial and thrust bearing.
- Shaft extension made of Stainless Steel AISI 420.
- High efficiency electrical design for Lower Operating Cost.
- · Pressure compensation diaphragm.

PRODUCT APPLICATION

"Unnati" prime mover Submersible Motors are suitable to couple with deep well Submersible Pump used for:

- Residential Purpose • Oil & Gas Industries
- Fountains
- De-Watering • Drip & Sprinkler Systems Fire Fighting

• Pressure Boosting Units

- Industrial water supply Irrigation Gardens & Horticulture
 - Mining Industries

PERFORMANCE RANGE

Power Range : 2.00Hp to 10.0Hp Three Phase : 1.50kW to 7.5kW Stage : Up to 30 Stage : 20 to 210 Meter Max. Head Discharge Range (LPM) : 30 -1660 LPM

V6 KLASSIC WATER LUBRICATED PUMPSET

PRODUCT FEATURE

- Unnati UL6 Water Lubricated Submersible Motor are robust Rewindable and pre-filled with clean water mixed with anti-corrosion fluid.
- Stator shell with corrosion resistant Stainless Steel.
- Bearing: Water lubricated radial and thrust bearing.
- Shaft extension made of Stainless Steel AISI 420.
- High efficiency electrical design for Lower Operating Cost.
- Pressure compensation diaphragm.

PRODUCT APPLICATION

"Unnati" prime mover Submersible Motors are suitable to couple with deep well Submersible Pump used for:

- Residential Purpose Oil & Gas Industries
- Gardens & Horticulture Fountains
- Irrigation
- Drip & Sprinkler Systems
- Industrial water supply Mining Industries
- Pressure Boosting Units

PERFORMANCE RANGE

: 7.50Hp to 36.0Hp Power Range

: 5.50kW to 26.0kW : 2 to 30 Stage Max. Head : 20 to 210 Meter Discharge Range (LPM) : 30 -1800 LPM



10

11

